

Special Flow-through I-beam Design exclusive!

CONCRETE DECKS

Offers substantial savings over others

The concrete deck EPR+ Plus is fieldready for the pouring of concrete. Rebar and other materials are not required for installation. This is made possible with Cardinal's exclusive CON-LOCK system specially designed for concrete to flow through the I-beams and lock into place for a long-lasting, sturdy scale deck.

The EPR+ Plus arrives fully prepared for installation.

Your scale is 100% assembled and tested in the Cardinal factory before shipping to your location.

Cardinal

The standard **EPR+ Plus includes** DB75000 lb stainless steel load cells and stands which are factory assembled and each scale bridge has interconnecting load cell blocks and receivers for a time saving, no-bolt efficient installation.





Optional Grain Dump Modules available on all Cardinal truck scales


Expedites unloading saving time and operation costs.

The EPR+ Plus comes standard with heavy-capacity, doubleended shear beam load cells.

DB75000 lb Load Cells

Rodent protection standard

Convenient No-Bolt Access Covers



Heavy-duty, no-bolt access cover plates over the load cells and surge suppression boxes are easy to remove for routine cleaning, yet robust in design for total protection of all components.

GO HYDRAULIC NOW... OR IN THE FUTURE!

Cardinal's Guardian SST Hydraulic load cells are also available which are intrinsically safe and designed for high-moisture and lighting-prone areas. They include a "lifetime" warranty for total protection in any environment.







PERIPHERAL EQUIPMENT

Select vehicle weight management software and a weight indicator to complete your truck scale operation.

Optional onsite training and support.



30TON CLC* MODELS - Steel Deck

MODEL	PLATFORM SIZE	TONS CAPACITY	SECTIONS
3010-EPR	10' x 11'	30	2
3020-EPR	20' x 11'	30	2
3025-EPR	25' x 11'	30	2
3030-EPR	30' x 11'	30	3
6040-EPR	40' x 11'	60	3
7050-EPR	50' x 11'	70	4
10060-EPR	60' x 11'	100	4
10070-EPR	70' x 11'	100	4
10075-EPR	75' x 11'	100	4
10080-EPR	80' x 11'	100	5
10090-EPR	90' x 11'	100	5
100100-EPR	100' x 11'	100	6
100110-EPR	110' x 11'	100	6
100120-EPR	120' x 11'	100	6

45 TONICLC* MODELS: Steel Decky

MODEL	PLATFORM SIZE	TONS CAPACITY	SECTIONS
4520-EPR	20' x 11'	45	2
7040-EPR	40' x 11'	70	3
8050-EPR	50' x 11'	80	4
11060-EPR	60' x 11'	110	4
13570-EPR	70' x 11'	135	4
13580-EPR	80' x 11'	135	5
13590-EPR	90' x 11'	135	5
135100-EPR	100' x 11'	135	6
135110-EPR	110' x 11'	135	6
135120-EPR	120' x 11'	135	6

* CLC = Concentrated Load Capacity: The maximum axle-load concentration for a group of two axles with a center line spaced 4' apart and an axle width of 8' that can safely be applied to the scale.

45 TON CLC* MODELS - Concrete Deck

MODEL	PLATFORM SIZE	TONS CAPACITY	SECTIONS
4520-EPR-C	20' x 11'	45	2
5030-EPR-C	30' x 11'	50	3
7040-EPR-C	40' x 11'	70	3
8050-EPR-C	50' x 11'	80	4
11060-EPR-C	60' x 11'	110	4
13570-EPR-C	70' x 11'	135	4
13580-EPR-C	80' x 11'	135	5
13590-EPR-C	90' x 11'	135	5
135100-EPR-C	100' x 11'	135	6
135110-EPR-C	110' x 11'	135	6
135120-EPR-C	120' x 11'	135	6

14 FOOT WIDE-45 TON CLC* MODELS-Steel Deck

MODEL	PLATFORM SIZE	TONS CAPACITY	SECTIONS
8050-EPR14	50' x 14'	80	4
11060-EPR14	60' x 14'	110	5
13570-EPR14	70' x 14'	135	5
13580-EPR14	80' x 14'	135	6

14 FOOT WIDE 45 TON CLC MODELS - Concrete Deck

MODEL	PLATFORM SIZE	TONS CAPACITY	SECTIONS
8050-EPR14-C	50' x 14'	80	4
11060-EPR14-C	60' x 14'	110	5
13570-EPR14-C	70' x 14'	135	5
13580-EPR14-C	80' x 14'	135	6

Other sizes and capacities readily available.

Please consult the Cardinal Scale factory for more options.

SmartCal® Optional iCan system available including Cardinal's patented SmartCal® calibration method.

CERTIFICATIONS

The EPR+ Plus Truck Scale meets or exceeds Class III/IIIL, 10,000 division accuracy requirements in accordance with NIST Handbook 44. A Certificate of Compliance Number 97-093 has been issued under the National Type Evaluation Program (NTEP) of the National Conference on Weights and Measures.









 $Cardinal Scale \ reserves \ the \ right \ to \ improve, enhance \ or \ modify features \ and \ specifications \ without \ prior \ notice. All \ registered \ trademarks \ are \ the \ property \ of \ their \ respective \ owners.$

▼ SOLD BY: